The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24384

Stream : Birch Creek

Applicant : Marathon Petroleum Company, LLC

Richet Clark

539 South Main Street Findlay, OH 45840-3229

Description : Approximately 108' of Birch Creek's eroded streambed will be stabilized around

the Robinson-Lima 10" Products pipeline. The streambed will be stabilized using 8 Submar mats, measuring 8' by 20' by 4.5", to protect the streambank and pipeline from further erosion. Submar mats are articulating concrete mats

designed to allow passage of flowing water and vegetative growth. The mats will be keyed into the streambank with clean rip rap fill if required. On the

streamward side, the mats will be tied with connectors under the pipeline. The

project will have a maximum height of 9' and will conform to the existing streambank contours. Details of the project are contained in information and

plans received at the Division of Water on June 20, 2007.

Location : Approximately 2800' upstream of the State Road 59 stream crossing

near Brazil, Posey Township, Clay County

NE14, NW14, NW14, Section 12, T 12N, R 7W, Staunton Quadrangle

Quad Code: 3908742

UTM Coordinates: Downstream 4371790 North, 488690 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24391

Stream : Payne Branch

Applicant : Marathon Pipe Line LLC

Richet M Clark

539 South Main Street Findley, OH 45840-3229

Description

: An exposed 8" pipeline measuring approximately 42' in length will be covered with ten 20' by 8' by 4.5" Submar revetment mats and an exposed 8" pipeline measuring approximately 24' in length will be covered with five 20' by 8' by 4.5" Submar revetment mats. The mats will be keyed into the streambed and banks along a 3' trench, and the trench will be backfilled with riprap. Excavated material will be stockpiled in upland areas and will be encapsulated by sediment barriers for erosion control. Excavation will be performed by equipment working from the top of bank, and if necessary, construction equipment will cross the stream on timber mats to access the other side. Installation will occur "in the dry", and if required, a sand bag dam will be installed to serve as a temporary dike around the work area to minimize potential erosion and sediment release in the stream. During construction, the work site will be dewatered to a well-vegetated upland area if necessary. All water pumped from the trench will be filtered to remove sediment prior to discharge. The dam and timber mats will be completely removed following construction, and all disturbed areas and stream banks will be re-graded to original contours. Details of the project are contained in information and plans received at the Division of Water on June 27, 2007.

Location

: Approximately 2400' upstream of the US 421 stream crossing

near Carmel, Pike Township, Marion County

E½, NE¼, SE¼, Section 19, T 17N, R 3E, Carmel Quadrangle

Quad Code: 3908682

UTM Coordinates: Downstream 4417230 North, 566465 East

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24392

Stream : Unnamed Tributary East

Fork Whitewater River

Applicant : City of Richmond Department of Sanitation

Robert Wiwi

2380 Liberty Avenue

Richmond, IN 47374-7282

Description : An existing 96" CMP culvert will be replaced with a 20' wide by 9' high by 40' long

conspan culvert set in concrete walls. The new culvert will have and upstream and downstream invert of 961.31' and 960.52' respectively. The crown of the roadway over the new culvert will be at 974.0' Additionally, a concrete weir will be constructed at the upstream end of the existing detention pond outlet structure located north or the Wernie road stream crossing. Details of the project are contained in information and plans received at the Division of Water on June 28,

2007.

Location : Along the unnamed tributary East Fork Whitewater River at Elks Country Club

Drive and at Wernie Road stream crossings

DOWNSTREAM: near Richmond, Wayne Township, Wayne County NE¼, NE¼, NE¼, Section 17, T 13N, R 1W, Richmond Quadrangle

Quad Code: 3908478

UTM Coordinates: Downstream 4407523 North, 680504 East

UPSTREAM:

UTM Coordinates: Upstream 4408473 North, 681471 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24396

Stream : Crabb Ditch

Applicant : Michael E and Mirna R Dault

9515 East County Road 100 North

Knox, IN 46534-8874

Description : Two ditches will be block and a third will have a water control structure installed to

create 2' deep water over a 14 acre area. The ditches will also be connected. The east bank of Crabb Ditch will be reconstructed along the project reach. Details of the project are contained in information and plans received at the

Division of Water on July 2, 2007.

Location : Beginning approximately 400' upstream of the confluence with Eagle Creek,

continuing 600' upstream and extending 1250' east

DOWNSTREAM: near Knox, Washington Township, Starke County

SE¼, Section 15, T 33N, R 1W, Knox East Quadrangle

Quad Code: 4108635

UTM Coordinates: Downstream 4573176 North, 540990 East

UPSTREAM:

UTM Coordinates: Upstream 4572999 North, 540911 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24397

Stream : Lauramie Creek

Applicant : M Michael Prifogle

9136 Fawn Lake Drive

Indianapolis, IN 46278-9777

Description : A 200' by 200' pond will be constructed along the right overbank. The excavated

material will be used for a residential building pad. The majority of the fill will be located above the 100-year base flood elevation of 800.9', NGVD'29. Some fill will be graded below the 100-year base flood elevation. Details of the project are contained in information and plans received at the Division of Water on July 2,

2007 and July 3, 2007.

Location : Along the right bank, beginning approximately 800' east and 1650' south of the

County Road 9 East and County Road 100 South intersection, and extending

400' east and 900' north

near Clarks Hill, Lauramie Township, Tippecanoe County

SE14, NW14, NW14, Section 13, T 21N, R 3W, Mulberry Quadrangle

Quad Code: 4008636

UTM Coordinates: Downstream 4457615 North, 524518 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24403

Stream : Bullerman Ditch

Applicant : City of Fort Wayne

David G Ross

City Engineer's Office

One Main Street, Room 750 Fort Wayne, IN 46802-1804

Description : Wheelock Road will be widened and resurfaced with pavement to add turn lanes.

An approximately 6,800 square foot detention pond will be constructed on the

northwest side of the Stellhorn Road and Sheelock Road intersection by

excavating approximately 5' deep and sloping from an elevation of 780', NGVD'29 to a bottom elevation of 774.7', NGVD'29. Details of the project are contained in

information and plans received at the Division of Water on July 5, 2007.

Location : Along the left overbank, at the northeast side of the Stellhorn Road and Wheelock

Road intersection, extending approximately 350' west and 750' north DOWNSTREAM: near Fort Wayne, St. Joseph Township, Allen County NE¼, NE¼, NE¼, Section 26, T 31N, R 13E, Fort Wayne East Quadrangle

Quad Code: 4108511

UTM Coordinates: Downstream 4554124 North, 665919 East

UPSTREAM: SE1/4, SE1/4, SE1/4

UTM Coordinates: Upstream 4554337 North, 665947 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24404

Stream : Little Buck Creek

Applicant : The Infinity Group

Robert Hohmann

20 North Wacker Drive, Suite 1725

Chicago, IL 60606-2964

Description : Approximately 110' of the eroded south stream bank will be stabilized using

A-Jacks Armor units and 97 cubic yards of soil excavated from the channel. A 1' deep trench will be cut at the toe of the existing slope to accomodate the A-Jacks system. Soil will be placed atop (backfill) the A-Jacks system as such to create a 2.5:1 slope. The bank will be replanted with live willow stakes and grasses. Further upstream, 12-24" rocks will be placed in the channel in five seperate locations. The rock piles will be 8' high by 8' wide and will be used to deflect the energy of the stream from the site. Details of the project are contained in

energy of the stream from the site. Details of the project are contained in information and plans received at the Division of Water on July 5, 2007.

Location : Beginning just upstream of the Orinoco Avenue stream crossing and extending

upstream approximately 400'

near Southport, Perry Township, Marion County

NW1/4, NE1/4, NW1/4, Section 18, T 14N, R 4E, Maywood Quadrangle

Quad Code: 3908662

UTM Coordinates: Downstream 4390786 North, 574220 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24406

Stream : Ohio River

Applicant : Summit Civil Services

Kris Mayberry

2125 Glenview Drive

Evansville, IN 47720-1258

Description : A 295' x 365' area will be filled. The fill will be 7' in depth and will have 3:1

sideslopes. Details of the project are contained in information and plans received

at the Division of Water on July 9, 2007.

Location : 5424 Bayou Creek Road; along the west (right) stream bank, approximately

1,350' downstream of the confluence of Bayou Creek

DOWNSTREAM: near Evansville, Union Township, Vanderburgh County E½, SE¼, NW¼, Section 10, T 7N, R 11W, West Franklin, IN-KY Quadrangle

Quad Code: 3708786

UTM Coordinates: Downstream 4198190 North, 444594 East

UPSTREAM:

UTM Coordinates: Upstream 4198241 North, 444618 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24409

Stream : Firlick Creek

Applicant : Vanderburgh County Board of Commissioners

John Stoll

201 Northwest 4th Street

Room 307

Evansville, IN 47708-1358

Description

The existing precast concrete channel beam bridge carrying Green River Road over Firlick Creek will be replaced with a new structure on a raised alignment to improve traffic flow. The new structure will be a single span prestressed concrete I beam bridge with a span length of 110'. The structure will have an out-to-out length of 117' and a clear roadway width of 66'. The spill through abutments will have 2:1 side slopes armored with riprap. The abutments and piers will be skewed 45 degrees to align with the stream flow. The new approach roads will be elevated a maximum of 7' above the existing approaches. The existing structure will be completely removed. The project is not federally funded. Details of the project are contained in information and plans received at the Division of

Water on July 11, 2007.

Location

: Along Firlick Creek, approximately 150 feet downstream and 85 feet upstream from the centerline of the proposed bridge at Green River Road, Section 35 and

near Evansville, Center Township, Vanderburgh County

NE14, NE14, SE14, Section 35, T 5S, R 10W, Daylight Quadrangle

Quad Code: 3808714

UTM Coordinates: Downstream 4210583 North, 456866 East

Statute/Rule

: Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24411

Stream : Ohio River

Applicant : Ohio River View, LLC

Bill Beach

999 Progress Blvd

PO Box 227

New Albany, IN 47150-2258

Description : A 125' by 1100' area will be graded for the construction of a 50' by 800' paved

model airplane runway in the west flood plain of the Ohio River. The fill will vary in depth from 0' to 3.5' and the cut varies from 0' to 2.5'. The centerline of the runway lies approximately 2000' west of the west bank of the Ohio River. The new construction impact on the total river cross section is 0.056% maximum. Also, approximately 1300' of 16' wide paved driveway will be constructed at grade. Details of the project are contained in information received electronically at the Division of Water on July 13, 2007 and in plans and information received at

the Division of Water on July 16, 2007.

Location : Approximately 2000 feet West of the West bank of the Ohio River at River mile

627.5

near Elizabeth, Taylor Township, Harrison County

Section 35, T 5S, R 5E, Kosmosdale, IN-KY Quadrangle

Quad Code: 3808518

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24412

Stream : Cedar Creek

Applicant : Klink Land, LLC

Mike Klink

730 North Main Street Auburn, IN 46706-1224

Description : The existing Auburn Sand and Gravel pit will be expanded to south.

Approximately 32.5 acres will be excavated to a depth of 40'. There will be a 15' to 20' strip of undisturbed ground along Tiernan Ditch and there will be a silt fence installed to prevent sedimentation of the stream. There will be no fill placed in the floodway. Details of the project are contained in information and plans received

at the Division of Water on July 13, 2007.

Location : Along the right (north) overbank, beginning approximately 50' east of State Road

427 and continuing upstream for approximately 4400'

DOWNSTREAM: near Auburn, Jackson Township, DeKalb County SW¼, NW¼, NW¼, Section 7, T 33N, R 13E, Auburn Quadrangle

Quad Code: 4108531

UTM Coordinates: Downstream 4576242 North, 660853 East UPSTREAM: SE¼, NW¼, SE¼, Section 7, T 33N, R 13E

UTM Coordinates: Upstream 4576946 North, 661797 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

RASR010 11 07/20/2007 10:30 AM

Application # : FW-24418

Stream : Indiana Harbor Canal

Applicant : Indiana Harbor Belt Railroad Company

William S Riehl III 2721 161st Street

Hammond, IN 46323-1005

Description

The existing supporting piers for Indiana Harbor Belt Railroad over the Indiana Harbor and Ship Canal are failing and will be replaced with a new piers on essentially the same alignment. The existing structure consists of three spans on timber piles for a total length of 86' 10". The existing approximately 8' wide and 6' wide central timber pile cluster piers and associated timber grillage will be replaced with timber pile bents. Existing piles will be removed to permit driving of new piles. The two new intermediate bents will each consist of six timber piles arranged in two rows of three, 3' 0"apart. The existing steel H piles comprising the westerly abutment will be capped with a new cast in place abutment and backwall. A new timber pile bent will be driven for the easterly abutment with the existing pile abutment becoming the backwall structure. The superstructure will reuse the existing of 42' 10" out-to-out deck plate girder span, the existing 30' 0" out-to-out beam span and a refurbished 13' 0" out-to-out timber span. The rebuilt structure will have an out-to-out span length of 86' 9". The railway right of way width is 35'. The spill around the abutments will have 2:1 side slopes. The new approaches will not be raised above the existing approaches. Details of the project are contained in information received electronically at the Division of Water on July 19, 2007 and in plans and information received at the Division of Water on

Location

The project is the northern Indiana Harbor Belt railroad bridge over the Indiana Harbor and Ship Canal. It is located just north of the Grand Calumet River and I-90.

Near East Chicago, North Township, Lake County Section 32, T 37N, R 9W, Highland Quadrangle

Quad Code: 4108754

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24419

Stream : St. Joseph River

Applicant : Denise R Walsh

1637 Rainbow Bend Boulevard

Elkhart, IN 46514-2030

Description : Approximately 90' of eroded north (right) streambank will be stabilized with rip rap

to protect the bank from further erosion. The rip rap will be keyed into the

streambed at its base and will conform to the existing bank at the project limits. It will have a maximum height of 3', a maximum streamward projection of 4' beyond the existing bank, and 1:1 sideslopes. Additionally, a cantilevered pier 6' wide and

30' long (parallel to the shoreline) will be constructed with steel pilings and beams, with wood decking and fascia. Details of the project are contained in information received electronically at the Division of Water on July 20, 2007 and

in plans and information received at the Division of Water on

Location : On the north (right) bank of the St. Joseph River approximately 3800'

downstream from the Bridge Street river crossing at Elkhart, Concord Township, Elkhart County

NE¼, NW¼, NW¼, Section 7, T 37N, R 8E, Elkhart Quadrangle

Quad Code: 4108568

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20734

Lake : Bass Lake

Applicant : Joe and Dana Spiewaker

5838 South State Road 10 Knox, IN 46534-7817

Description : A temporary "L" shaped group pier will be placed in front of the applicant's

frontage to provide access and mooring facilities. The pier will extend 150' lakeward of, and perpendicular to, the lake's legal shoreline. The pier will have a 50' section extending parallel to the shoreline to accommodate a total of 50 boat slips. Details of the project are contained in information and plans received at the

Division of Water on April 30, 2007, May 21, 2007 and June 11, 2007.

Location : Approximately 800' west and 200' south of the County Road 550 South and State

Road 10 intersection

near Knox, North Bend Township, Starke County

NW1/4, NW1/4, SW1/4, Section 18, T 32N, R 1W, Bass Lake Quadrangle

Quad Code: 4108625

UTM Coordinates: Downstream 4564605 North, 533620 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20754

Lake : Sylvan Lake

Applicant : Myron and Rose Marie Warner

690 Lakeside Drive

Rome City, IN 46784-9601

Description : A concrete seawall will be refaced with a layer of concrete across 24' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on May 24, 2007.

Location : 960 Lakeside Drive, Lot 6, Barber's Bluff

near Rome City, Orange Township, Noble County

SE14, SE14, NE14, Section 16, T 35N, R 10E, Kendallville Quadrangle

Quad Code: 4108543

UTM Coordinates: Downstream 4594570 North, 636240 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20789

Lake : Koontz Lake

Applicant : Judy Richards

59 East Custer

Lemont, IL 60439-3841

Description : A new vinyl seawall will be constructed across 50' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline.

The new vinyl seawall will be refaced with a layer of glacial stone at the wall's lakeward face. Details of the project are contained in information and plans

received at the Division of Water on July 2, 2007 and July 19, 2007.

Location : 11568 South Avenue

near Walkerton, Oregon Township, Starke County

SW1/4, SW1/4, NE1/4, Section 12, T 34N, R 1W, Walkerton Quadrangle

Quad Code: 4108644

UTM Coordinates: Downstream 4584645 North, 543894 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20791

Lake : Lake Wawasee

Applicant : Ander-Green, Inc.

6521 East Cornelius Road Syracuse, IN 46567

Cyracuse, iiv 40007

Description : A total of 3 existing concrete seawalls will be refaced and recapped with a layer of

concrete across a total of 260' of the applicant's 373' frontage. The reface layers will be keyed to the wall's lakeward face. Also, an existing steel sheet piling seawall will be removed and replaced with a straight concrete seawall across 89' of the applicant's 373' frontage. The new concrete seawall will connect to existing

concrete seawalls on both sides in a straight alignment.

In addition, an existing 24' wide concrete boat ramp will be removed and a new straight concrete seawall across 24' of the applicant's 373' frontage. The new concrete seawall will connect to existing concrete seawalls on both sides in a straight alignment. Details of the project are contained in information and plans

received at the Division of Water on July 2, 2007.

Location : 10011 North Turkey Creek Road

near Syracuse, Turkey Creek Township, Kosciusko County

NE1/4, NW1/4, NW1/4, Section 25, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4581695 North, 611246 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20792

Lake : Koontz Lake

Applicant : Gene Fleming

9932 South Spaulding

Evergreen Park, IL 60805-3441

Description : A new vinyl seawall will be constructed across 53' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline.

The new vinyl seawall will be refaced with a layer of glacial stone at the wall's lakeward face. Details of the project are contained in information and plans

received at the Division of Water on July 2, 2007 and July 19, 2007.

Location : 11572 South Avenue

near Walkerton, Oregon Township, Starke County

SW¼, SW¼, NE¼, Section 12, T 34N, R 1W, Walkerton Quadrangle

Quad Code: 4108644

UTM Coordinates: Downstream 4584645 North, 543909 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20796

Lake : Oliver Lake

Applicant : Oliver Lake Reort Cooperative, Inc.

Ken Wilson

210 Growth Parkway Angola, IN 46703-9331

Description : A new glacial stone seawall will be constructed across 800' of the applicant's

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received

at the Division of Water on July 3, 2007.

Location : 525 East 450 South; Lot 2 of Misners Homeland Estates

DOWNSTREAM: near LaGrange, Johnson Township, LaGrange County SE¼, SE¼, NW¼, Section 18, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4603914 North, 632234 East

UPSTREAM:

UTM Coordinates: Upstream 4604056 North, 632185 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 17 07/20/2007 10:30 AM

Application # : PL-20797

Lake : Fish Lake

Applicant : Joe S Ball

5105 East 140 South

LaGrange, IN 46761-8970

Description : A 12' by 13' underwater beach will be constructed across 12' of the applicant's

105' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of

Water on July 5, 2007, July 13, 2007 and July 19, 2007.

Location : 5105 East 120 South

near LaGrange, Bloomfield Township, LaGrange County

SW1/4, SW1/4, NW1/4, Section 36, T 37N, R 10E, Wolcottville Quadrangle

Quad Code: 4108553

UTM Coordinates: Downstream 4609141 North, 639386 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20799

Lake : Sylvan Lake

Applicant : Mary Malle

PO Box 265

Rome City, IN 46784-0265

Description : A concrete seawall will be refaced with a layer of concrete across 300' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on July 5, 2007.

Location : 1020 North Shore Drive; Lots 6, 7 and 8 of Oakland Addition

near Rome City, Orange Township, Noble County

NW1/4, NE1/4, SW1/4, Section 15, T 35N, R 10E, Kendallville Quadrangle

Quad Code: 4108543

UTM Coordinates: Downstream 4594354 North, 636925 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20802

Lake : Witmer Lake

Applicant : Richard and Mary Arend

2065 East 765 South

Wolcottville, IN 46795-9215

Description : A new concrete seawall will be constructed across 90' of the applicant's 90'

frontage to replaced a dilapidated concrete seawall. The lakeward face of the wall

will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on July 9,

2007.

Location : Lots 7 & 8, Merrimans Landing

near Wolcottville, Noble County

Section 33, T 36N, R 10E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20803

Lake : Blue Lake

Applicant : Backside Association

Donna Bradford 5369 North 700 East

Churubusco, IN 46723-9323

Description : A temporary "L" shaped group pier will be placed in front of the applicant's

frontage to provided access and mooring facilities. The wood pier will be 3' wide and will extend 43' into the lake. Approximately 21' from the end of the pier a 3' wide section will extend 113' horizontally. In addition, there will be four (4) 3' wide walkways extending 21' from the pier extension. The pier will be supported by 3.5" auger poles, which will be placed in the lakebed using hand held tools. Details of the project are contained in information and plans received at the

Division of Water on July 9, 2007.

Location : 33 North to Blue Lake Road to 575, turn right to 700 East Bottom of Hill Curves to

left at end of Road small drive to right at end of Road next to Park looking area is our lake access you will see a large pier all ready in water and House Boat in

Front of Pier.

near Churubusco, Smith Township, Whitley County

SW¼, NE¼, SW¼, Section 10, T 32N, R 10E, Churubusco Quadrangle

Quad Code: 4108523

UTM Coordinates: Downstream 4566915 North, 637287 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20808

Lake : Simonton Lake

Applicant : Kyle Kwasny

25160 Agua Drive

Elkhart, IN 46514-8596

Description : An existing railroad tie seawall will be refaced across 102' of the applicant's

frontage. The reface layer will consist of 8 gauge steel sheet piling installed a maximum of 6" lakeward of the toe of the existing seawall. Details of the project are contained in information and plans received at the Division of Water on July

11, 2007.

Location : 25160 Aqua Drive

near Elkhart, Osolo Township, Elkhart County

E½, NW¼, Section 15, T 38N, R 5E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20809

Lake : Irish Lake

Applicant : David Dice

80 EMS B61I Lane

Warsaw, IN 46580-6661

Description : An existing poured in place concrete seawall will be refaced across a portion of

the 75' frontage of the applicant on Irish Lake to prevent deterioration. The refacing will consist of reinforced concrete which will be tied to the existing wall with 1/2" rerod. The refacing will have a maximum thickness of 12 inches and will

be sloped on the lakeward side. A 24 inch wide concrete walkway will be

constructed on top and landward of the lakeward face of the refaced wall. Details of the project are contained in information received electronically at the Division of Water on July 16, 2007 and in plans and information received at the Division of

Water on

Location : 80 EMS B61I Lane

near Warsaw, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20810

Lake : Irish Lake

Applicant : Shayrn Rankin

1 EMS B37 LANE LOT 10 &11 Warsaw, IN 46580-9714

Description : A new seawall will be constructed across 80' of the 80' frontage of the applicant

along Irish Lake to deter shoreline erosion. The wall will consist of poured in place concrete which will be sloped on the lakeward side. It will be 48 inches high and will vary uniformly in thickness from 13 inches to 30 inches from the base to the top. The lakeward face of the wall will be legal shoreline. Details of the project are contained in information received electronically at the Division of Water on July 16, 2007 and in plans and information received at the Division of

Water on

Location : 1 EMS B37 Lane

near Warsaw, Tippecanoe Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20812

Lake : Pleasant Lake

Applicant : Ralph R Kugler Jr

1265 West South Drive

Pleasant Lake, IN 46779-9524

Description : An installation of pea gravel beach is proposed. Details of the project are

contained in information and plans received at the Division of Water on July 16,

2007.

Location : 1265 West South Drive Pleasant Lake

near Pleasant Lake, Steuben County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20813

Lake : Oliver Lake

Applicant : Ken Wilson

210 Growth Parkway Angola, IN 46703-9331

Description : A construction of a glacial stone seawall is proposed. Details of the project are

contained in information and plans received at the Division of Water on July 16,

2007.

Location : Lot 2, Misner's Homeland Estates

near Angola, LaGrange County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20814

Lake : Snow Lake

Applicant : Niles C Adams

3056 Shawnee Trail

New Haven, IN 46774-2922

Description : An exsisting railroad tie seawall will be replaced by a new seawall that will be

constructed along the frontage of tract #12 in the Hickory Island Addition on Snow Lake to deter shoreline erosion. The wall will be composed of 2" to 12" diameter glacial stone and will be approximately 70' long. Its lakeward face will not extend more than 4' lakeward of the shoreline of the lake. Details of the project are contained in information received electronically at the Division of Water on July 19, 2007 and in plans and information received at the Division of Water on

Location : 320 Lane 800; On the south shoreline of North Snow Bay on Snow Lake, across

the 70 ft. of frontage of Tract 12, Hickory Island Addition a part of the northeast quarter of Section 21, Township 38, Range 13 in Steuben County, Indiana

near Fremont, Jamestown Township, Steuben County

Section 21, T 38N, R 13E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake